

# The SAFE test

## Modular NIPT education training

A light purple silhouette of a pregnant woman in profile, facing right, is positioned on the left side of the slide.

References and  
further reading

# External Resources:

- ARC- Antenatal results and choices [www.arc-uk.org](http://www.arc-uk.org)
- DSA- Down's syndrome association [www.downs-syndrome.org.uk](http://www.downs-syndrome.org.uk)
- SOFT UK- Support organisation for Trisomy 13/18 [www.soft.org.uk](http://www.soft.org.uk)
- NHS choices [www.nhs.uk](http://www.nhs.uk)
- <https://www.youtube.com/watch?v=8Kynt75ssmE>

# Further Reading and References:

- Amant F, Verheecke M, Wlodarska I, Dehaspe L, Brady P, Brison N et al. Presymptomatic Identification of Cancers in Pregnant Women During Noninvasive Prenatal Testing. *JAMA Oncology* [Internet]. 2015;1(6):814-819. Available from: <https://jamanetwork.com/journals/jamaoncology/fullarticle/2318964>
- Ashoor G, Syngelaki A, Poon L, Rezende J, Nicolaides K. Fetal fraction in maternal plasma cell-free DNA at 11-13 weeks' gestation: relation to maternal and fetal characteristics. *Ultrasound in Obstetrics & Gynecology* [Internet]. 2012;41(1):26-32. Available from: <https://obgyn.onlinelibrary.wiley.com/doi/epdf/10.1002/uog.12331>
- Bevilacqua E, Gil M, Nicolaides K, Ordoñez E, Cirigliano V, Dierickx H et al. Performance of screening for aneuploidies by cell-free DNA analysis of maternal blood in twin pregnancies. *Ultrasound in Obstetrics & Gynecology*. 2014;45(1):61-66. Available from: <http://onlinelibrary.wiley.com/doi/10.1002/uog.14690/full>
- Bianchi D, Chudova D, Sehnert A, Bhatt S, Murray K, Prosen T et al. Noninvasive Prenatal Testing and Incidental Detection of Occult Maternal Malignancies. *JAMA* [Internet]. 2015;314(2):162-169. Available from: <http://jamanetwork.com/journals/jama/fullarticle/2389341>

- Canick J, Palomaki G, Kloza E, Lambert-Messerlian G, Haddow J. The impact of maternal plasma DNA fetal fraction on next generation sequencing tests for common fetal aneuploidies. *Prenatal Diagnosis* [Internet]. 2013;33(7):667-674. Available from: <https://obgyn.onlinelibrary.wiley.com/doi/full/10.1002/pd.4126>
- Chitty L, Cameron L, Daley R, Fisher J, Hill M, Jenkins L et al. RAPID non-invasive prenatal testing (NIPT) evaluation study: a report for the UK National screening committee. Executive summary (2015). London; 2015.
- Department of Health. Assessment of termination on grounds of the sex of the foetus-Responses to serious crime act 2015. London: Crown; 2015 p. 1-41. Available from: [https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\\_data/file/456642/sex\\_selection\\_doc.pdf](https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/456642/sex_selection_doc.pdf)
- Department of Health and Social Care. New non-invasive prenatal test for Down's Edwards and Patau's Syndromes, which is safer for women and their babies. [Internet]. 2014. Available from: <https://www.gov.uk/government/news/safer-screening-test-for-pregnant-women>.
- Futch T, Spinosa J, Bhatt S, de Feo E, Rava R, Sehnert A. Initial clinical laboratory experience in noninvasive prenatal testing for fetal aneuploidy from maternal plasma DNA samples. *Prenatal Diagnosis* [Internet]. 2013;33(6):569-574. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3709117/>
- Gao Y, Stejskal D, Jiang F, Wang W. False-negative trisomy 18 non-invasive prenatal test result due to 48,XXX,+18 placental mosaicism. *Ultrasound in Obstetrics & Gynecology* [Internet]. 2014;43(4):477-478. Available from: <http://www.niftytest.si/wp-content/uploads/2014/09/False-negative-trisomy-18-non-invasive-prenatal-test-result-due-to-48XXX-18-placental-mosaicism1.pdf>

- Gil M, Accurti V, Santacruz B, Plana M, Nicolaides K. OC15.01: Analysis of cell-free DNA in maternal blood in screening for aneuploidies: updated meta-analysis. Ultrasound in Obstetrics & Gynecology [Internet]. 2017;50:31-31. Available from:  
<https://obgyn.onlinelibrary.wiley.com/doi/full/10.1002/uog.17484>
- Gil M, Quezada M, Bregant B, Syngelaki A, Nicolaides K. Cell-Free DNA Analysis for Trisomy Risk Assessment in First-Trimester Twin Pregnancies. Fetal Diagnosis and Therapy [Internet]. 2013;35(3):204-211. Available from: <http://www.karger.com/Article/Abstract/356495>
- Gregg A, Skotko B, Benkendorf J, Monaghan K, Bajaj K, Best R et al. Noninvasive prenatal screening for fetal aneuploidy, 2016 update: a position statement of the American College of Medical Genetics and Genomics. Genetics in Medicine. 2016;18(10):1056-1065. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/27467454>
- Hesketh T, Lu L, Xing Z. The consequences of son preference and sex-selective abortion in China and other Asian countries. Canadian Medical Association Journal [Internet]. 2011;183(12):1374-1377. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3168620/>
- Huang X, Zheng J, Chen M, Zhao Y, Zhang C, Liu L et al. Noninvasive prenatal testing of trisomies 21 and 18 by massively parallel sequencing of maternal plasma DNA in twin pregnancies. Prenatal Diagnosis [Internet]. 2014;34(4):335-340. Available from:  
<https://www.ncbi.nlm.nih.gov/pubmed/24357023>
- Lichtenbelt, K. D., Diemel, B. D., Koster, M. P. Detection of Fetal Chromosomal Anomalies. Obstetrical & Gynecological Survey, 2015. 70(11), 677-678. doi:10.1097/ogx.0000000000000265. Available from:  
[https://journals.lww.com/obgynsurvey/Abstract/2015/11000/Detection\\_of\\_Fetal\\_Chromosomal\\_Anomalies\\_Does.3.aspx](https://journals.lww.com/obgynsurvey/Abstract/2015/11000/Detection_of_Fetal_Chromosomal_Anomalies_Does.3.aspx)

- Masala M, Saba L, Zoppi M, Puddu R, Picciau A, Capponi V et al. Pitfalls in noninvasive fetal RhD and sex determination due to a vanishing twin. *Prenatal Diagnosis*. 2014;35(5):506-508. Available from: <https://obgyn.onlinelibrary.wiley.com/doi/abs/10.1002/pd.4489>
- Mackie A. Addition of non-invasive test to improve screening for pregnant women [Internet]. PHE Screening. 2018 [cited 9 May 2017]. Available from: <https://phescreening.blog.gov.uk/2016/11/03/addition-of-non-invasive-test-to-improve-screening-for-pregnant-women/>
- Norton M, Brar H, Weiss J, Karimi A, Laurent L, Caughey A et al. Non-Invasive Chromosomal Evaluation (NICE) Study: results of a multicentre prospective cohort study for detection of fetal trisomy 21 and trisomy 18. *American Journal of Obstetrics and Gynecology* [Internet]. 2012;207(2):137.e1-137.e8. Available from: [https://www.ajog.org/article/S0002-9378\(12\)00584-4/fulltext](https://www.ajog.org/article/S0002-9378(12)00584-4/fulltext)
- Nuffield Council on Bioethics. Non-invasive prenatal testing: Ethical issues. London: Nuffield Council on Bioethics; 2017. Available from: <http://nuffieldbioethics.org/project/non-invasive-prenatal-testing/findings/>
- Osborne C, Hardisty E, Devers P, Kaiser-Rogers K, Hayden M, Goodnight W et al. Discordant noninvasive prenatal testing results in a patient subsequently diagnosed with metastatic disease. *Prenatal Diagnosis* [Internet]. 2013;33(6):609-611. Available from: <https://obgyn.onlinelibrary.wiley.com/doi/full/10.1002/pd.4100>
- Papageorghiou A, Khalil A, Forman M, Hulme R, Mazey R, Mousa H et al. Clinical evaluation of the IONA test: a non-invasive prenatal screening test for trisomies 21, 18 and 13. *Ultrasound in Obstetrics & Gynecology* [Internet]. 2015;47(2):188-193. Available from: <https://obgyn.onlinelibrary.wiley.com/doi/abs/10.1002/uog.15791>

- Poon L, Dumidrascu-Diris D, Francisco C, Fantasia I, Nicolaides K. IONA test for first-trimester detection of trisomies 21, 18 and 13. *Ultrasound in Obstetrics & Gynecology* [Internet]. 2015;47(2):184-187. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5064725/>
- Prats P, Rodríguez I, Comas C, Puerto B. Systematic review of screening for trisomy 21 in twin pregnancies in first trimester combining nuchal translucency and biochemical markers: a meta-analysis. *Prenatal Diagnosis* [Internet]. 2014;34(11):1077-1083. Available from: <https://obgyn.onlinelibrary.wiley.com/doi/full/10.1002/pd.4100>
- Reiss R, Discenza M, Foster J, Dobson L, Wilkins-Haug L. Sex chromosome aneuploidy detection by noninvasive prenatal testing: helpful or hazardous?. *Prenatal Diagnosis*. 2017;37(5):515-520. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28326560>
- Scientific Impact Paper No. 15: Non-invasive Prenatal Testing for Chromosomal Abnormality using Maternal Plasma DNA. *The Obstetrician & Gynaecologist* [Internet]. 2014;16(2):148-148. Available from: <https://www.rcog.org.uk/en/guidelines-research-services/guidelines/sip15/>
- Sheldon S. Abortion for reason of sex: correcting some basic misunderstandings of the law *Abortion Review* 2012 37:2
- Smith M, Lewis K, Holmes A, Visootsak J. A Case of False Negative NIPT for Down Syndrome-Lessons Learned. *Case Reports in Genetics* [Internet]. 2014;2014:1-3. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3932282/>
- Struble C, Syngelaki A, Oliphant A, Song K, Nicolaides K. Fetal Fraction Estimate in Twin Pregnancies Using Directed Cell-Free DNA Analysis. *Fetal Diagnosis and Therapy* [Internet]. 2013;35(3):199-203. Available from: <https://www.karger.com/Article/FullText/355653>

- Swanson A, Sehnert A, Bhatt S. Non-invasive Prenatal Testing: Technologies, Clinical Assays and Implementation Strategies for Women's Healthcare Practitioners. *Current Genetic Medicine Reports*. 2013;1(2):113-121. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3655220/>
- Takoudes T, Hamar B. Performance of non-invasive prenatal testing when fetal cell-free DNA is absent. *Ultrasound in Obstetrics & Gynecology*. 2014;45(1):112-112. Available from: <https://obgyn.onlinelibrary.wiley.com/doi/full/10.1002/uog.14715>
- Taylor-Phillips S, Freeman K, Geppert J, Agbebiyi A, Uthman O, Madan J et al. Accuracy of non-invasive prenatal testing using cell-free DNA for detection of Down, Edwards and Patau syndromes: a systematic review and meta-analysis. *BMJ Open*. 2016;6(1):e010002. Available from: <https://bmjopen.bmj.com/content/bmjopen/6/1/e010002.full.pdf>
- The NHS RAPID project | Reliable Accurate Prenatal non-Invasive Diagnosis [Internet]. Rapid.nhs.uk. 2018 [cited 30 August 2018]. Available from: <http://www.rapid.nhs.uk/>
- Thurik F, Page-Christiaens G, Ait Soussan A, Ligthart P, Cheroutre G, Bossers B et al. Fetal RHD genotyping after bone marrow transplantation. *Transfusion*. 2016;56(8):2122-2126. Available at: <http://notifylibrary.org/sites/default/files/Fetal%20RHD%20genotyping%20after%20TPH.pdf>
- Vlková B, Hodosy J. Vanishing twin as a potential source of bias in non-invasive fetal sex determination: A case report. *Journal of Obstetrics and Gynaecology Research*. 2014;40(4):1128-1131. Available from: <https://obgyn.onlinelibrary.wiley.com/doi/full/10.1111/jog.12314>

- Wardrop J, Dharajiya N, Boomer T, McCullough R, Monroe T, Khanna A. Low Molecular Weight Heparin and Noninvasive Prenatal Testing [22C]. *Obstetrics & Gynecology*. 2016;127:32S. Available from: <https://journals.lww.com/greenjournal/toc/2016/05001>
- <https://www.rarechromo.org/>
- #36: Prenatal aneuploidy screening using cell-free DNA. *American Journal of Obstetrics and Gynecology* [Internet]. 2015;212(6):711-716. Available from: [https://www.ajog.org/article/S0002-9378\(15\)00324-5/fulltext](https://www.ajog.org/article/S0002-9378(15)00324-5/fulltext)