



Additional Information for Colonoscopy

Department of Paediatric Gastroenterology & Nutrition Information leaflet for parents and carers

Bowel Preparation Medications

Your child has been prescribed laxatives to help clear out their bowel before the investigation. They must start the medications the day before the colonoscopy.

The medication will lead to an increase in the number of bowel movements with loose stools therefore it is advisable to be close to a toilet. Your child may also experience some abdominal cramps or pain. Some children might feel sick and may very occasionally vomit with the laxatives. This is nothing to worry about but do contact a member of the gastroenterology team if they are unwell or if you have any other concerns whilst they are on the laxatives. If your child has any underlying medical condition or you are concerned about any information on this leaflet, please contact the gastroenterology team prior to giving the medication on 020 8725 5050 or gastroenterology.new gastroenterology.new gast

			Time to take medication	
Age range	Medication	Dosage	AM List	PM List
0yrs -1yrs	Senna	10mls	12 noon	5pm
1yrs – 2yrs	Senna	10mls	12 noon	5pm
	Picolax	1/4 Sachet	1pm	6pm
		1/4 Sachet	5pm	6am
2yrs – 4yrs	Senna	20mls	12 noon	5pm
	Picolax	½ Sachet	1pm	6pm
		½ Sachet	5pm	6am
4yrs – 9yrs	Senna	20mls	12 noon	5pm
	Picolax	1 Sachet	1pm	6pm
		½ Sachet	5pm	6am
9yrs – 18yrs	Senna	20mls	12 noon	5pm
	Picolax	1 Sachet	1pm	6pm
		1 Sachet	5pm	6am

If you have not already received your prescription from the hospital, please take this letter to your GP to prescribe Picolax and Senna (7.5mg/5ml) using the dosing chart above

Please ensure that you measure out the quantity of medicine that you are giving your child.

Please note that as your child will be taking laxatives there is an increased risk of dehydration, therefore it is very important that your child keeps well hydrated. We recommend giving your child an **extra 1 litre (1 and ¾ pints) of fluid** in addition to his/her usual fluid intake once they start the medication.

Age	Total Fluid in	
	24hrs	
6 Months	800mls	
2 years old	1100mls	
6 years old	1500mls	
12 years old	1900mls	
16 years old	2200mls	

Rough guide to fluid intake 24 hours prior to Colonoscopy

Dietary restrictions:

Before the colonoscopy it is very important that the bowel is as clear as possible, as this allows doctors to have a good view of the large bowel. Please follow the food restrictions below:

Patients **0 - 8 years old.** Please have meals as normal until the day before the procedure then please follow the clear fluid diet listed after the low residue diet plan.

Patients 9 - 18 years old. Three days prior to the colonoscopy they must follow the low residue diet Foods allowed and foods to avoided are listed below.

Low residue diet

	Choose	Avoid
Breads	White flour and white bread,	Wholemeal/Wholegrain
Cereals	seedless rye bread, rolls,	breads, cereals and flour,
	saltine, Melba toast, plain	oats, bran, barley, pearl
	muffin, crumpet, scotch	barley, any wholegrain or
	pancakes, cornflour, Ready	bran cereal, granola,
	brek, Rice Krispies,	oatmeal, any cereal with
	Cornflakes, Frosted Flakes	seeds, nuts, coconut or dried
		fruit, e.g. muesli
Potato	White or sweet potatoes,	Skins of potatoes, e.g. packet
Rice	Roast potatoes without skins,	or brown or wild rice and
Pasta	Corn meal porridge, white	pasta
	rice and Pasta, Yorkshire	
	pudding, pastry	

Fruit	Ensure fruit is ripe and soft.	Avoid tough skins, seeds and
	Tinned/stewed fruit is	pips, citrus fruit membrane.
	preferable.	Avocado, berries, cherries,
	Apples (without skins),	kiwi, lemons, mangoes,
	apricots, bananas, grapefruit,	olives, oranges, passion fruit,
	clementines, mandarin,	pineapple core, plums,
	nectarine, satsumas (discard	prunes.
	fruit membranes) melon,	All dried fruit, e.g. raisins,
	peaches, rhubarb	sultanas
Vegetables	Soft, easily mashed	Avoid tough skins, stalks,
	vegetables: Cucumber,	seeds and pips: All beans,
	courgette, lettuce, marrow,	peas and lentils, asparagus,
	plantain (cooked), pumpkin,	aubergine, broccoli, beetroot,
	peppers, radish, swede	brussels sprouts, cabbage,
	(cooked), water cress (stalks	carrot, fennel, garlic, leeks,
	removed), yam	mushroom, okra, onion,
		parsnips, Quorn, sweetcorn,
		spinach, spring greens,
		tomatoes
Dairy	All kinds of milk, cream,	Yoghurts containing fruit/nut
	smooth yoghurts, all kinds of	pieces. Cheese with fruit/nut
	cheese, Ice cream, sorbet,	pieces
	custard	

Day before the colonoscopy (clear fluid diet): All patients should have a clear fluid diet and are only allowed to eat/drink the following: cold water, orange/lemon squash, jelly, marmite drink, clear apple juice and ice lollies, slush puppies, clear boiled sweets, clear soup, chewing gum (no red or purple coloured food or drink).

The following are not allowed: No solid food, no milk, no fizzy drinks Ribena/blackcurrant, no pineapple juice, no red or purple jelly, no tea or coffee, no other sweets, no ice cream, no chocolate.

Day of the colonoscopy: They can have clear fluids up until **two hours prior to procedure** at which point they must not have anything else to drink in preparation for the anaesthetic.

Contact us

For further administrative queries please contact paediatric admissions: **020 8725 3648**. For clinical queries, please contact the paediatric gastroenterology clinical nurse specialist (CNS): **020 8725 5050** or gastro.cns@stgeorges.nhs.uk
Jungle ward can be contacted on **020 8725 2034/5**.

For more information leaflets on conditions, procedures, treatments and services offered at our hospitals, please visit www.stgeorges.nhs.uk

Additional services

Patient Advice and Liaison Service (PALS)

PALS can offer you on-the-spot advice and information when you have comments or concerns about our services or the care you have received. You can visit the PALS office between 9.30am and 4.30pm, Monday to Friday in the main corridor between Grosvenor and Lanesborough wings (near the lift foyer).

Tel: 020 8725 2453 Email: pals@stgeorges.nhs.uk

NHS Choices

NHS Choices provides online information and guidance on all aspects of health and healthcare, to help you make decisions about your health.

Web: www.nhs.uk

NHS 111

You can call 111 when you need medical help fast but it's not a 999 emergency. NHS 111 is available 24 hours a day, 365 days a year. Calls are free from landlines and mobile phones.

Tel: 111

AccessAble

You can download accessibility guides for all our services by searching 'St George's Hospital' on the AccessAble website (www.accessable.co.uk). The guides are designed to ensure everyone – including those with accessibility needs – can access our hospital and community sites with confidence.



Reference: PAM_BP_01 Published: August 2022 Review date: August 2024